



GAS LOGS

VENTED & VENT-FREE



Traditional
Fireplace
Design Collection

SHOW YOURSELF IN

Create a room that begs you to stick around, *sit down and relax.*



VENTED GAS LOGS

*FEATURED Southern Comfort Log Set and
Marquee Fireplace with Standard Grey Stacked
Estate Refractory Panels*





AVALON Log Set



There's nothing like the warm glow of a fire on a cold evening. The **Astria** line of Vented Gas Logs brings that comfort and warmth into the home. Large flames and detailed logs offer ambiance with the convenience of a remote controlled gas appliance. Our patented technology is a clear departure from any other vented gas log produced over the past 50 years. Astria's log stacks are integrated into the burner as a single unitized arrangement. The ceramic log produces an intense red glow, providing uncanny wood burning realism and impressive levels of radiant glow. This unique system makes installation a breeze and eliminates sooting that is experienced with other vented log sets.

Unitized Models

(includes Log Set and Burner)



Featured with Georgian Masonry Fireplace



AVALON

18" & 24" MODELS
CERAMIC FIBER LOGS/ELEC. IGN. CONTROL
BATTERY OPERATED REMOTE CONTROL INCLUDED



ARCADIA

18" & 24" MODELS
CERAMIC FIBER LOGS/MILLIVOLT CONTROL



CASCADE

18", 24" & 30" MODELS
CERAMIC FIBER LOGS/MILLIVOLT CONTROL





START SOMETHING BEAUTIFUL

Sacrificing *style for warmth*
is a thing of the past.



VENT-FREE GAS LOGS

*FEATURED Southern Comfort Log Set
with outdoor Magniflame burner*

NORTHERN RED OAK Log Set



Featured in a Taurus See-Through Firebox

Astria's unique, clean burning design provides 99.9% heating efficiency, allowing you to operate the logs vent-free with the fireplace damper closed. With no venting required, there is no heat loss up the chimney. Plus heating with Astria gas logs means you'll never again be left in the cold with wet logs or without heat during a power outage.

In addition to vent-free safety controls and industry leading clean flame combustion technology, some of the log sets are unitized in a pre-assembled arrangement. This feature assures maximum performance and eliminates the possibility of log misplacement or movement, which could affect indoor air quality. The control and gas train are 100% factory assembled and tested. The unitized design also makes installation a breeze! Just complete the gas connection using the shut-off valve and stainless flex connector provided. Astria's Dual Burner Vent-Free Gas Log Heaters offer the choice of four types of remote control accessories as well as the ability to operate the log heater with manual control. Astria's Multi-Sided Vent-Free Gas Log Heaters feature "Remote Ready" controls, abundant yellow flames from a dual burner, plus a beautifully styled five piece multi-log design.



NEW FOR 2015-2016!

CAROLINA OAK Log Set

Unitized Model (Includes log set & burner)



SHERIDAN

18" & 24" MODELS
CERAMIC FIBER LOGS
REMOTE CONTROL INCLUDED

Dual Yellow Flame Model



CAROLINA OAK

18" & 24" MODELS
CONCRETE LOGS

Multi-Sided Model



NORTHERN RED OAK

27" MODEL
CERAMIC FIBER LOGS

Dual Yellow Flame Model



CHESTNUT HILL

18" & 24" MODELS
CONCRETE LOGS

Multiple control options available. Remote controls are included with variable remote and electronic ignition models.

BISON MOUNTAIN Log Set



The **Blaze n' Glow Series** offers you what ordinary gas logs cannot...the beauty and convenience of gas logs combined with the heating characteristics of a radiant vent-free heater. Best of all, our vent-free gas logs are clean and easy to maintain and they won't put a dent in your wallet! Burner systems are available in four applications. Now all models include loose embers. Simply combine the burner system that fits your needs with one of the three log sets. 18" models fit our Astria 32" fireboxes and larger. 24" models fit Astria 36" fireboxes and larger. 30" and 36" models fit Astria 42" fireboxes and larger.

Blaze N' Glow Series



Featured with Blaze N' Glow burner and Vega Firebox



ANDES MOUNTAIN 18", 24", 30" & 36" MODELS
CERAMIC FIBER LOGS



BISON MOUNTAIN 18", 24" & 30" MODELS
CONCRETE LOGS



RED WOOD MOUNTAIN OAK 18", 24" & 30" MODELS
CONCRETE LOGS

WESTERN TIMBER Log Set



*Featured with Tri-Flame burner
in a Marquee Masonry Firebox*

The **MagniFlame Series** boasts a triple burner to achieve the look of a real wood fire! The MagniFlame burner is cantilevered to produce tall flames that will not be dwarfed by its massive 19" high logs, the tallest in the industry. Indoor vent-free models feature two burners of bright yellow flames, plus the lower burner for the glowing ember bed. The uniqueness of this series is that the unit stands 19" tall and over 15" deep. 24" log sets are designed for large 36" fireboxes, 30" log sets for large 42" fireboxes and 36" log sets for 48" boxes or larger masonry units. See page 16 for minimum firebox dimensions and further details.

The **Tri-Flame Series** brings a remarkable new technology to the field of vent-free gas logs. To duplicate the look of a real wood fire, these models include a glowing, coal bed at its base. The bright, glowing coals and flickering embers are achieved through the use of two unique technologies. The Tri-Flame burner offers the unusual feature of an additional row of flames behind the logs. The result is a distinctive appearance with a very deep flame pattern.



NEW FOR 2015-2016!

SHADY HOLLOW Log Set

MagniFlame Series



SOUTHERN
COMFORT
INDOOR

24", 30" & 36" MODELS
CONCRETE LOGS



SHADY
HOLLOW
INDOOR

24", 30" & 36" MODELS
CONCRETE LOGS

Tri-Flame Series



WESTERN
TIMBER

18", 24" & 30" MODELS
CERAMIC FIBER LOGS



MIXED OAK

18", 24" & 30" MODELS
CERAMIC FIBER LOGS



RICH OAK

18", 24" & 30" MODELS
CONCRETE LOGS



SCARLET OAK

18", 24" & 30" MODELS
CONCRETE LOGS



TIMBER OAK

18", 24" & 30" MODELS
CERAMIC FIBER LOGS

- ❖ Hand crafted logs from real timber
- ❖ Available in multiple sizes:
18"/24"/30"/36"
- ❖ Available in multiple designs:
Southern Comfort, Shady Hollow,
Western Timber, Mixed Oak, Rich Oak,
Scarlet Oak and Timber Oak
- ❖ Heavy-duty grate for enhanced
rugged appeal
- ❖ Dual listed as both vent-free and
vented gas appliances
- ❖ Optional Lava Rock Ember Bed
(MFEB) for enhanced flame and glow
(vented applications only)
— MagniFlame Series only

SOUTHERN COMFORT Log Set



*Featured Southern Comfort Log Set
with optional MFEB burner (vented application)*

The **MagniFlame Series** boasts a triple burner to achieve the look of a real wood fire! The MagniFlame burner is cantilevered to produce tall flames that will not be dwarfed by its massive 19" high logs, the tallest in the industry. Indoor vent-free models feature two burners of bright yellow flames, plus the lower burner for the glowing ember bed. Outdoor models feature two burners of bright yellow flames, stainless steel chassis and grate, and an optional lava rock flame bed at its base. The uniqueness of this series is that the unit stands 19" tall and over 15" deep. 24" log sets are designed for large 36" fireboxes, 30" log sets for large 42" fireboxes and 36" log sets for 48" boxes or larger masonry units. See page 16 for minimum firebox dimensions and further details.



NEW FOR 2015-2016!

SHADY HOLLOW Log Set

MagniFlame Series

MAGNIFLAME

MAGNIFLAME w/MFEB

NEW FOR 2015-2016!



SHADY
HOLLOW

24", 30" & 36" MODELS
CONCRETE LOGS

NEW FOR 2015-2016!



SHADY
HOLLOW

24", 30" & 36" MODELS
CONCRETE LOGS

- ❖ Hand crafted logs from real timber
- ❖ Available in multiple sizes:
24"/30"/36"
- ❖ Available in two designs:
Southern Comfort and
Shady Hollow
- ❖ Stainless steel burner and grate
withstand outdoor elements
- ❖ Approved for outdoor use or for
indoor as a vented gas appliance
- ❖ Optional Lava Rock Ember Bed
(MFEB) for enhanced flame and glow
(vented applications only)



SOUTHERN
COMFORT

24", 30" & 36" MODELS
CONCRETE LOGS



SOUTHERN
COMFORT

24", 30" & 36" MODELS
CONCRETE LOGS

Log Accessories



LAVA ROCK FLAME BED FOR VENTED SOUTHERN COMFORT (MFEB)



ACCESSORY KIT FOR MAGNIFLAME (LAMF)



DECORATIVE ASH BED/CONTROL COVER KIT (CDABKA)



LOG SCRAPS-FLOOR MEDIA KIT (VTA-LS5-1)



TRC REMOTE

All log accessories not listed. See your dealer for a complete list.

LOG SIZES & MINIMUM FIREBOX DIMENSIONS

BURNER SYSTEMS & LOGS			MIN. FIREBOX DIMENSIONS					
BURNER SYSTEM	MODEL	LOG LENGTH	HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH	MIN VENT	
Arcadia18	Arcadia18	18"	18"	16"	28"	28"	8"	
Arcadia24	Arcadia24	24"	18"	16"	29-3/4"	29-3/4"	8"	
Avalon18	Avalon18	18"	18"	18"	34"	24"	8"	
Avalon24	Avalon24	24"	18"	18"	34"	24"	8"	
Cascade18	Cascade18	18"	18"	18"	34"	24"	8"	
Cascade24	Cascade24	24"	18"	18"	34"	24"	8"	
Cascade30	Cascade30	30"	18"	18"	34"	24"	8"	
MagniFlameOD24	SouthernComfortOD24	24"	28"	*15-1/2"	32-1/2"	22-3/4"	8"	
MagniFlameOD24	SouthernComfortOD30	30"	28"	*15-1/2"	39"	26-3/4"	8"	
MagniFlameOD30	SouthernComfortOD36	36"	28"	*15-1/2"	47"	33"	8"	
MagniFlameOD24	Shady Hollow OD24	24"	28"	*15-1/2"	32-1/2"	22-3/4"	8"	
MagniFlameOD24	Shady Hollow OD30	30"	28"	*15-1/2"	39"	26-3/4"	8"	
MagniFlameOD30	Shady Hollow OD36	36"	28"	*15-1/2"	47"	33"	8"	
MagniFlameOD w/MFEB								
MagniFlame24	SouthernComfort24	24"	28"	*15-1/2"	32-1/2"	22-3/4"	8"	
MagniFlame24	SouthernComfort30	30"	28"	*15-1/2"	39"	26-3/4"	8"	
MagniFlame30	SouthernComfort36	36"	28"	*15-1/2"	47"	33"	8"	
MagniFlame24	Shady Hollow24	24"	28"	15-1/2"	32-1/2"	22-3/4"	8"	
MagniFlame24	Shady Hollow30	30"	28"	15-1/2"	39"	26-3/4"	8"	
MagniFlame30	Shady Hollow36	36"	28"	15-1/2"	47"	33"	8"	
TriFlame18	ScarletOak18	18"	19"	14"	28"	20"		
TriFlame24	ScarletOak24	24"	19"	14"	32"	22"		
TriFlame24	ScarletOak30	30"	19"	14"	40"	30"		
TriFlame18	Western Timber18	18"	19"	14"	28"	20"		
TriFlame24	Western Timber24	24"	19"	14"	32"	22"		
TriFlame24	Western Timber30	30"	19"	14"	40"	30"		
TriFlame18	RichOak18	18"	19"	14"	28"	20"		
TriFlame24	RichOak24	24"	19"	14"	32"	22"		
TriFlame24	RichOak30	30"	19"	14"	40"	30"		
TriFlame18	MixedOak18	18"	19"	14"	28"	20"		
TriFlame24	MixedOak24	24"	19"	14"	32"	22"		
TriFlame24	MixedOak30	30"	19"	14"	40"	30"		
TriFlame18	TimberOak18	18"	19"	14"	28"	20"		
TriFlame24	TimberOak24	24"	19"	14"	32"	22"		
TriFlame24	TimberOak30	30"	19"	14"	40"	30"		
Blaze&Glow18	AndesMtn18	18"	17"	13-1/2"	20"	14"		
Blaze&Glow24	AndesMtn24	24"	17"	13-1/2"	26"	18"		
Blaze&Glow24	AndesMtn30	30"	21"	13-1/2"	32"	22"		
Blaze&Glow24	AndesMtn36	36"	21"	13-1/2"	38"	27-1/2"		
Blaze&Glow18	Red WoodM18	18"	17"	13-1/2"	20"	14"		
Blaze&Glow24	Red WoodM24	24"	17"	13-1/2"	26"	18"		
Blaze&Glow24	Red WoodM30	30"	21"	13-1/2"	32"	22"		
Blaze&Glow18	BisonMtn18	18"	17"	14-1/2"	26"	20"		
Blaze&Glow24	BisonMtn24	24"	17"	14-1/2"	29"	22"		
Blaze&Glow24	BisonMtn30	30"	21"	14-1/2"	32"	22"		
Sheridan18	Sheridan18	18"	17"	13-1/2"	24"	20-1/2"		
Sheridan24	Sheridan24	24"	17"	13-1/2"	28"	20-1/2"		
EOS18	ChestnutH18	18"	17"	13-1/2"	24"	20-1/2"		
EOS18	ChestnutH24	24"	17"	13-1/2"	28"	20-1/2"		
EOS18	Carolina Oak18	18"	17"	13-1/2"	24"	20-1/2"		
EOS18	Carolina Oak24	24"	17"	13-1/2"	28"	20-1/2"		
NorthernOak27	NorthernOak27	27"	17"	19"	32"	32"		
RioLights24	RioLights24	-	17"	13-1/2"	26"	18"		
RioLights30	RioLights30	-	17"	13-1/2"	32"	22"		

*Installation in certain Astria produced fireplaces with smaller dimensions has been approved

GAS LOGS: PERFORMANCE & HEATING EFFICIENCY

BURNER SYSTEMS & LOGS											
BURNER SYSTEM	CONTROLS & BTUs										
	MANUAL		MILLIVOLT		THERMOSTAT		VARIABLE REMOTE		ELECTRONIC IGNITION		
	NG	LP	NG	LP	NG	LP	NG	LP	NG	LP	
Arcadia18			37K-54K	37K-54K	–	–	–	–	–	–	
Arcadia24	–	–	39K-58K	39K-58K	–	–	–	–	–	–	
Avalon18	–	–	–	–	–	–	–	–	38K-58K	46K-58K	
Avalon24	–	–	–	–	–	–	–	–	45K-68K	54K-68K	
Cascade18	59K	–	59K	59K	–	–	–	–	–	–	
Cascade24	69K	–	69K	69K	–	–	–	–	–	–	
Cascade30	74K	–	74K	74K	–	–	–	–	–	–	
MagniFlameOD24	–	–	29K-40K	29K-40K	–	–	29K-40K	29K-40K	29K-40K	29K-40K	
MagniFlameOD24	–	–	29K-40K	29K-40K	–	–	29K-40K	29K-40K	29K-40K	29K-40K	
MagniFlameOD30	–	–	29K-40K	29K-40K	–	–	29K-40K	29K-40K	29K-40K	29K-40K	
MagniFlameOD24	–	–	29K-40K	29K-40K	–	–	29K-40K	29K-40K	29K-40K	29K-40K	
MagniFlameOD24	–	–	29K-40K	29K-40K	–	–	29K-40K	29K-40K	29K-40K	29K-40K	
MagniFlameOD30	–	–	29K-40K	29K-40K	–	–	29K-40K	29K-40K	29K-40K	29K-40K	
MagniFlameOD w/MFEB	–	–	40K-65K	50K-70K	–	–	40K-65K	50K-70K	40K-65K	50K-70K	
MagniFlame24	–	–	29K-40K	29K-40K	–	–	29K-40K	29K-40K	29K-40K	29K-40K	
MagniFlame24	–	–	29K-40K	29K-40K	–	–	29K-40K	29K-40K	29K-40K	29K-40K	
MagniFlame30	–	–	29K-40K	29K-40K	–	–	29K-40K	29K-40K	29K-40K	29K-40K	
MagniFlame24	–	–	29K-40K	29K-40K	–	–	29K-40K	29K-40K	29K-40K	29K-40K	
MagniFlame24	–	–	29K-40K	29K-40K	–	–	29K-40K	29K-40K	29K-40K	29K-40K	
MagniFlame30	–	–	29K-40K	29K-40K	–	–	29K-40K	29K-40K	29K-40K	29K-40K	
TriFlame18	–	–	21K-30K	24K-30K	–	–	21K-30K	24K-30K	24K-30K	24K-30K	
TriFlame24	–	–	28K-39K	28K-39K	–	–	28K-39K	28K-39K	28K-39K	28K-39K	
TriFlame24	–	–	28K-39K	28K-39K	–	–	28K-39K	28K-39K	28K-39K	28K-39K	
TriFlame18	–	–	21K-30K	24K-30K	–	–	21K-30K	24K-30K	24K-30K	24K-30K	
TriFlame24	–	–	28K-39K	28K-39K	–	–	28K-39K	28K-39K	28K-39K	28K-39K	
TriFlame24	–	–	28K-39K	28K-39K	–	–	28K-39K	28K-39K	28K-39K	28K-39K	
TriFlame18	–	–	21K-30K	24K-30K	–	–	21K-30K	24K-30K	24K-30K	24K-30K	
TriFlame24	–	–	28K-39K	28K-39K	–	–	28K-39K	28K-39K	28K-39K	28K-39K	
TriFlame24	–	–	28K-39K	28K-39K	–	–	28K-39K	28K-39K	28K-39K	28K-39K	
TriFlame18	–	–	21K-30K	24K-30K	–	–	21K-30K	24K-30K	24K-30K	24K-30K	
TriFlame24	–	–	28K-39K	28K-39K	–	–	28K-39K	28K-39K	28K-39K	28K-39K	
TriFlame24	–	–	28K-39K	28K-39K	–	–	28K-39K	28K-39K	28K-39K	28K-39K	
TriFlame18	–	–	21K-30K	24K-30K	–	–	21K-30K	24K-30K	24K-30K	24K-30K	
TriFlame24	–	–	28K-39K	28K-39K	–	–	28K-39K	28K-39K	28K-39K	28K-39K	
TriFlame24	–	–	28K-39K	28K-39K	–	–	28K-39K	28K-39K	28K-39K	28K-39K	
Blaze&Glow18	26K-31K	23K-28K	19K-28K	21K-28K	23K-30K	23K-32K	19K-28K	21K-28K	21K-30K	24K-30K	
Blaze&Glow24	28K-37K	28K-37K	25K-39K	27K-39K	29K-38K	29K-38K	25K-39K	27K-39K	26K-39K	30K-39K	
Blaze&Glow24	28K-37K	28K-37K	25K-39K	27K-39K	29K-38K	29K-38K	25K-39K	27K-39K	26K-39K	30K-39K	
Blaze&Glow24	28K-37K	28K-37K	25K-39K	27K-39K	29K-38K	29K-38K	25K-39K	27K-39K	26K-39K	30K-39K	
Blaze&Glow18	26K-31K	23K-28K	19K-28K	21K-28K	23K-30K	23K-32K	19K-28K	21K-28K	21K-30K	24K-30K	
Blaze&Glow24	28K-37K	28K-37K	25K-39K	27K-39K	29K-38K	29K-38K	25K-39K	27K-39K	26K-39K	30K-39K	
Blaze&Glow24	28K-37K	28K-37K	25K-39K	27K-39K	29K-38K	29K-38K	25K-39K	27K-39K	26K-39K	30K-39K	
Blaze&Glow18	26K-31K	23K-28K	19K-28K	21K-28K	23K-30K	23K-32K	19K-28K	21K-28K	21K-30K	24K-30K	
Blaze&Glow24	28K-37K	28K-37K	25K-39K	27K-39K	29K-38K	29K-38K	25K-39K	27K-39K	26K-39K	30K-39K	
Blaze&Glow24	28K-37K	28K-37K	25K-39K	27K-39K	29K-38K	29K-38K	25K-39K	27K-39K	26K-39K	30K-39K	
Sheridan18	–	–	24K-36K	24K-36K	–	–	–	–	–	–	
Sheridan24	–	–	25K-39K	25K-39K	–	–	–	–	–	–	
EOS18	19K-36k	19k-36k	25K-36K	25K-36K	–	–	–	–	–	–	
EOS18	19K-36K	19K-36K	25K-36K	25K-36K	–	–	–	–	–	–	
EOS18	19K-36k	19K-36k	25K-36K	25K-36K	–	–	–	–	–	–	
EOS18	19K-36k	19K-36k	25K-36K	25K-36K	–	–	–	–	–	–	
NorthernOak27	–	–	20K-39K	20K-39K	–	–	–	–	–	–	
RioLights24	–	–	32K	32K	–	–	–	–	–	–	
RioLights30	–	–	32K	32K	–	–	–	–	–	–	

VENTED

VENT-FREE

Contemporary Pebble Burner

RIO LIGHTS Burner



Featured with Rio Lights burner and Vega Firebox

Rio Lights is a beautifully sleek alternative to a traditional gas log set. The polished pan burner and elegant glass media are far from the classic hearth look. The rich yellow flames dance across the glistening clear glass pebbles for a sophisticated and chic appearance. Refining any vent-free firebox with this unique pebble burner is quick and easy. Best of all, you can give your living space a fresh start without the inconvenience or price tag that comes with home remodeling.



RIO LIGHTS

24" & 30" MODELS
BURNER & PEBBLES

Glass Media (Clear Standard, Colors Optional)



SPECKLED ORANGE



SAPPHIRE



AMBER



MINT

WHICH ASTRIA MODEL IS RIGHT FOR YOU?

*Astria offers a broad line of vented & vent-free gas logs featuring a variety of styles and sizes.
Just follow the easy steps below to choose a great looking set of Astria gas logs.*

1. Choose between Vented or Vent-Free.

Astria "Vented" Gas Logs install in any properly certified and vented masonry fireplace or manufactured firebox. "Vent-Free" Gas Logs can be installed in any certified vented fireplace or any ANSI Z21.91 certified vent-free universal firebox including the Astria Fireboxes. All burner systems with variable manual controls including remote ready are also listed to the ANSI Z21.60 Vented Log Decorative Standard which requires the GA6080 damper clamp accessory.

2. Log Set Size

Based on your fireplace measurements, choose a log set that will suit your needs using the sizing chart.

3. Controls

Astria Gas Logs are available in five control types: Manual, Thermostatic, Variable, Millivolt & Electronic Ignition. All offer easy, reliable and economical heating. Several models use a "matchless" piezo ignition system, and all other Astria Vent-Free models use an "Auto-Light" ignition, a battery-powered continuous spark system that lights the burner faster. Vented models use a "matchless" piezo ignition system, and all other Astria Vent-Free models use an "Auto-Light" ignition, a battery-powered continuous spark system that lights the log's burner faster.

• Manually Controlled Models

Manual control allows you to select the heat setting and flame height you desire by simply turning a control knob to enjoy flames and glowing coals from both burners.

• Thermostatically Controlled Models

Thermostat control gradually modulates the heat output and flame height from high to lower settings, or pilot, in order to maintain a consistent room temperature. Even at the lowest setting you enjoy glowing coals and realistic flames from two burners.

• Variable Remote Controlled Models

Variable remote control offers three modes of operation: manual, thermostatic, or smart mode. In smart mode, the system electronically duplicates a hydraulic thermostatically controlled valve by increasing/decreasing the input rate/flame height based on the difference in room temperature and the set temperature. These systems allow 6 flame height settings from low to high while in either the manual or thermostatic modes settings.

• Millivolt Controlled Models

Millivolt controlled models operate with the manual variable controls or your choice of four remotes.

1. The Wall Mount Off/On Switch will enable you to turn your log set from pilot to on at the flip of a switch.
2. With a Wall Mount Thermostat Switch set the wall thermostat at the comfort level you desire and the log heater will automatically cycle from pilot to the heat setting selected.
3. The On/Off Remote Control enables you to turn the log heater off or on using the hand-held control. A child safety lock feature is included for additional safety assurance.
4. The Thermostat Remote Control allows you to view the time and room temperature or operate the log heater in a manually or automatically (thermostat) controlled mode plus you can turn it off or on without ever leaving the comfort of your easy chair!

• Electronic Ignition Models

The electronic ignition valve systems offer two modes of operation: manual, and thermostatic. These systems allow three flame height/input settings: low, medium, or high. In manual mode, the pilot lights each time the system is set or calls for heat. This means that the pilot never burns when the main burners are off. When compared to other valve systems, the cost of fuel to continually operate the pilot is avoided and therefore saves the homeowner money by reducing their fuel usage.

4. Fireplace Hoods

A fireplace hood accessory may be required to deflect heat away from your mantel shelf. Fits fireplace openings from 28" to 48" wide. Installs easily with glass doors or to the lintel of the fireplace opening.

5. Optional Decorative Accessory Kit

A decorative accessory kit is not only functional but beautiful as well! The set includes seven log pieces featuring realistic bark, split and charred areas.

Warranty

All models include the Astria 3 year limited warranty.

SAFETY FEATURES

1. Astria's Vent-Free Gas Log Heaters are designed certified by PFS Corp. and meet or exceed all regulations and safety performance standards.
2. The dual purpose safety pilot system protects against oxygen depletion and any interruption in the fuel supply. This feature ensures clean and reliable heat without the worry and inconvenience of vented gas logs or burning wood.
3. Astria Vent-Free Gas Products Meet or Exceed Nationally Recognized Standards/Guidelines for Indoor Air Quality.

IMPORTANT - PLEASE READ

Read Owner's Manual before using. Installation must be done by qualified service persons. Check local codes and ordinances for permitted uses. Vent-free gas products are prohibited for bedroom and bathroom installation in Massachusetts. All products approved for manufactured (mobile) home installation. We reserve the right to amend product specifications without notice.

Operating heater at very high elevations could cause nuisance outages. Use with adequate air (ventilation) only. Humidifies while it heats. Provides water vapor in the area heated (Refer to owner's manual). Product cannot be converted between fuel types.



astria
FIREPLACES®

Let your style shine.

