


GAS LOGS

VENT-FREE



Vent-Free Gas Logs



Blaze N' Glow Series 4-5

- Glowing Middle Log & Ember Bed
- 1 Concrete & 1 Ceramic Fiber Log Sets
- Millivolt, Variable & Electronic Controls



Magni-Flame Series 6-7

- Massive Logs, Flames & Glowing Embers
- 2 Concrete Log Sets
- Millivolt, Variable & Electronic Controls



Magni-Flame Outdoor 8-9

- Stainless Steel Burner & Grate
- 2 Concrete Log Sets
- Millivolt & Electronic Controls



Tri-Flame Series 10-11

- Deep Flame Pattern & Glowing Embers
- 2 Concrete & 1 Ceramic Fiber Log Sets
- Millivolt, Variable & Electronic Controls



Dual-Flame Series 12-13

- Dancing Yellow Flames
- 2 Concrete Log Sets
- Millivolt Control



Multi-Sided Series 14

- Perfect for Multiple Opening Fireplaces
- 1 Ceramic Fiber Log Set
- Millivolt Control

Optional Remotes & Accessories



TSRC Receiver Touch Screen Remote Kit



RCKIT 4001 On/Off Remote Receiver Wall Plate Kit



TRC T'stat On/Off Remote Kit

GWMT1 Wall Mount T'stat Control Kit



GWMS2 On/Off Wall Switch Kit



GA6050 Adjustable Fireplace Hood



LAMF-Decorative Log Accessory Kit (Giant Timbers)



CDABKA Decorative Ash Bed/Control Cover Kit



CIKA Gas Appliance Installation Kit




FM100 Floor Media Kit (3 media types) or Separate FDVS Volcanic Stone

GA6080 Damper Clamp



MFEB Volcanic Stone Flame Bed Kit (Mega-Flame Outdoor Series Only)

Multi-Sided Series



NORTHERN OAK
Logs & Burner System

STANDARD FEATURES

- ✦ For use in fireplaces with multiple openings
- ✦ Two rows of tall dancing yellow flames look great from any angle
- ✦ Highly detailed ceramic fiber five-piece design
- ✦ Heavy-duty grate for enhanced rugged appeal
- ✦ Millivolt control model is remote ready for optional remote and wall controls

The Multi-Sided Series is the perfect choice for see-thru, peninsula, corner and island fireplaces. This Vent-Free Gas Log Heater features “Remote Ready” controls, abundant yellow flames from a dual burner, plus a beautifully styled five piece multi-log design. Unique, clean burning design provides 99% heating efficiency, allowing you to operate the logs vent-free with the fireplace damper closed.

LOGS	SIZE	BURNER SIZE	MINIMUM FIREBOX DIMENSIONS				CONTROLS & BTUs					
			HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH	NORTHERN OAK SERIES (COMBINED LOGS AND BURNER SYSTEM)					
							MILLIVOLT		ELECTRONIC			
							NG	LP	VARIABLE	—		
NORTHERN OAK	27"	27"	17"	19"	32"	32"	20K-39K	20K-39K	—	—	—	—

Things to Consider When Selecting Your Astria Vent-Free Gas Logs

Astria offers an extensive line of vent-free gas log sets in a variety of styles and sizes. Use the guidelines below to help you choose your great-looking set of Astria gas logs.

VENT-FREE OR VENTED APPLICATIONS

- ♦ Vent-Free Gas Log Sets can be installed in any certified vented fireplace or any ANSI Z21.11 certified vent-free universal firebox
- ♦ Vent-Free Gas Log Sets with Manual, Millivolt or Variable Controls are also listed to the ANSI Z21.60 Vented Log Decorative Standard, which requires the GA6080 damper clamp accessory

SAFE, CLEAN AND EFFICIENT OPERATION

- ♦ Clean and reliable heat without the worry and inefficiency of vented gas logs or burning wood
- ♦ Dual purpose Oxygen Depletion Sensing (ODS) safety pilot system protects against oxygen depletion and any interruption in the fuel supply
- ♦ Vent-Free Gas Log Heaters are designed and certified by PFS Corp. and meet or exceed all regulations and safety performance standards
- ♦ Meet or exceed nationally recognized standards/guidelines for indoor air quality

VARIETY OF CONTROLS FROM WHICH TO CHOOSE

Available control types vary depending on the Vent-Free Gas Log Series you choose.

MANUALLY CONTROLLED MODELS

- ♦ Continuous ODS safety pilot with matchless push-button ignition
- ♦ Manual on-off and variable high-low flame height control

MILLIVOLT CONTROLLED MODELS

- ♦ Continuous ODS safety pilot with matchless push-button ignition
- ♦ Manual on-off and variable high-low flame height control
- ♦ Remote control ready for a variety of optional hand-held remote and wall controls

VARIABLE CONTROLLED MODELS

- ♦ Continuous ODS safety pilot with matchless push-button ignition
- ♦ Manual on-off and variable high-low flame height control
- ♦ Includes remote control with digital display, manual or thermostatic modes and 5 flame height settings

ELECTRONIC IGNITION CONTROLLED MODELS

- ♦ Fuel saving electronic intermittent ODS safety pilot with battery back-up
- ♦ Manual on-off and 2 position high-low flame height control
- ♦ Includes remote control with digital display, manual or thermostatic modes and 3 flame height settings (Outdoor remote varies)

CONCRETE OR CERAMIC FIBER LOGS

Available log types vary depending on the Vent-Free Gas Log Series you choose.

- ♦ Concrete logs are highly detailed with the wood grain texture, look, feel and color of real wood logs
- ♦ Ceramic Fiber logs produce a realistic glow reminiscent of charred logs and burning coals in a real wood fire

FINISH WITH OPTIONAL ACCESSORIES

- ♦ Hand-held remote control, wall switch and wall thermostat kits
- ♦ Decorative volcanic stone and floor media kits
- ♦ Pine cones, log scraps and control cover kits
- ♦ Adjustable fireplace hood for mantel shelf protection
- ♦ Gas appliance connector kit and damper clamp

WARRANTY

- ♦ All models include the Astria 3-year limited warranty

IMPORTANT CONSIDERATIONS: Read Owner's Manual before using. Installation must be done by qualified service persons. Check local codes and ordinances for permitted uses. Vent-free gas products are prohibited for bedroom and bathroom installation in Massachusetts. All products approved for manufactured (mobile) home installation. We reserve the right to amend product specifications without notice. Operating heater at very high elevations could cause nuisance outages. Use with adequate air (ventilation) only. Humidifies while it heats. Provides water vapor in the area heated (Refer to owner's manual). Product cannot be converted between fuel types.

Blaze N' Glow Series



BISON MOUNTAIN Logs with
BLAZE N' GLOW Burner System

STANDARD FEATURES

- ◆ Glowing center fiber log and ember bed for wood fire realism
- ◆ Heavy-duty grate for enhanced rugged appeal
- ◆ Choose from concrete or ceramic fiber logs
- ◆ Millivolt control model is remote ready for optional remote and wall controls
- ◆ Variable control model includes ProFlame remote control (Manual & T-Stat modes, On-Off & 5 flame heights)
- ◆ Electronic control model includes EcoFlow Touchscreen remote control (Manual & T-Stat modes, On-Off & 3 flame heights)

CAROLINA OAK Logs

Concrete Logs



austria.us.com

The Dual-Flame Series' unique, clean burning design provides 99% heating efficiency, allowing you to operate the logs vent-free with the fireplace damper closed. With no venting required, there is no heat loss up the chimney. Plus, heating with vent-free gas logs means you'll never again be left in the cold with wet logs or without heat during a power outage.

CHESTNUT HILL Logs

Concrete Logs



"You'll never be left in the cold again during a power outage."

LOGS	SIZE	BURNER SIZE	MINIMUM FIREBOX DIMENSIONS				CONTROLS & BTUs					
			HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH	DUAL-FLAME SERIES BURNER SYSTEMS					
							MILLIVOLT REMOTE		VARIABLE		ELECTRONIC	
NG	LP	—	—	—	—							
CAROLINA OAK	18"	18"	17"	13-1/2"	24"	20-1/2"	25K-36K	25K-36K	—	—	—	—
	24"	18"	17"	13-1/2"	28"	20-1/2"	25K-36K	25K-36K	—	—	—	—
CHESTNUT HILL	18"	18"	17"	13-1/2"	24"	20-1/2"	25K-36K	25K-36K	—	—	—	—
	24"	18"	17"	13-1/2"	28"	20-1/2"	25K-36K	25K-36K	—	—	—	—

Logs & Burner Systems sold separately

Dual-Flame Series



CAROLINA OAK Logs with
DUAL-FLAME Burner System

STANDARD FEATURES

- ◆ Two rows of dancing yellow flames
- ◆ Heavy-duty grate for enhanced rugged appeal
- ◆ Choose from two concrete log sets
- ◆ Millivolt control model is remote ready for optional remote and wall controls

ANDES MOUNTAIN Logs

Ceramic Fiber Logs



Let your style shine.

The Blaze 'N Glow Series provides three distinct areas of flame: dancing yellow flames in the rear, glowing logs in the center and vibrant glowing embers in the front. All models are heater rated with 99% heat efficiency and include a wood-burning grate appearance. Hand crafted with high-definition bark and split wood details, the Blaze 'N Glow series logs are molded from real timber to create the essence of authentic firewood.



ProFlame Remote
(Included with Variable Control Model)



EcoFlow Remote
(Included with Electronic Control Model)

BISON MOUNTAIN Logs

Concrete Logs



*See many of our
stunning log sets
in action —*

BURN VIDEOS AT ASTRIA.US.COM

LOGS	SIZE	BURNER SIZE	MINIMUM FIREBOX DIMENSIONS				CONTROLS & BTUs					
			HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH	BLAZE 'N GLOW SERIES BURNER SYSTEMS					
							MILLIVOLT REMOTE		VARIABLE		ELECTRONIC	
NG	LP	NG	LP	NG	LP							
ANDES MOUNTAIN	18"	18"	17"	13-1/2"	20"	14"	21K-28K	19K-29K	19K-28K	21K-28K	21K-30K	24K-30K
	24"	24"	17"	13-1/2"	26"	18"	25K-39K	23K-39K	25K-39K	27K-39K	26K-39K	30K-39K
	30"	24"	21"	13-1/2"	32"	22"	25K-39K	23K-39K	25K-39K	27K-39K	26K-39K	30K-39K
	36"	24"	21"	13-1/2"	38"	27-1/2"	25K-39K	23K-39K	25K-39K	27K-39K	26K-39K	30K-39K
BISON MOUNTAIN	18"	18"	17"	14-1/2"	26"	20"	21K-28K	19K-29K	19K-28K	21K-28K	21K-30K	24K-30K
	24"	24"	17"	14-1/2"	29"	22"	25K-39K	23K-39K	25K-39K	27K-39K	26K-39K	30K-39K
	30"	24"	21"	14-1/2"	32"	22"	25K-39K	23K-39K	25K-39K	27K-39K	26K-39K	30K-39K

Logs & Burner Systems sold separately

Magni-Flame Series



SHADY HOLLOW Logs with
MAGNI-FLAME Burner System

STANDARD FEATURES

- ✦ Available in a wide range of sizes from 24" to 30" to an impressive 36"
- ✦ Highly detailed concrete logs with the wood grain texture and color of real wood logs
- ✦ Heavy-duty grate for enhanced rugged appeal
- ✦ Millivolt control model is remote ready for optional remote and wall controls
- ✦ Variable control model includes ProFlame remote control (Manual & T-Stat modes, On-Off & 5 flame heights)
- ✦ Electronic control model includes EcoFlow Touchscreen remote control (Manual & T-Stat modes, On-Off & 3 flame heights)



The Tri-Flame Series features a unique triple burner and glowing ember bed at its base to achieve the look of a real wood fire. Flickering embers are achieved through the use of two unique technologies and the burner offers the distinctive feature of an additional row of flames behind the logs. The result is a striking appearance with a very deep flame pattern. All models are heater rated with 99% heat efficiency and include a wood-burning grate appearance.



LOGS	SIZE	BURNER SIZE	MINIMUM FIREBOX DIMENSIONS				CONTROLS & BTUs					
			HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH	TRI-FLAME SERIES BURNER SYSTEMS					
							MILLIVOLT		VARIABLE		ELECTRONIC	
							NG	LP	NG	LP	NG	LP
WESTERN TIMBER	18"	18"	19"	14"	28"	20"	21K-30K	24K-30K	21K-30K	24K-30K	24K-28K	24K-28K
	24"	24"	19"	14"	30"	22"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K
	30"	24"	19"	14"	40"	30"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K
RICH OAK	18"	18"	19"	14"	28"	20"	21K-30K	24K-30K	21K-30K	24K-30K	24K-28K	24K-28K
	24"	24"	19"	14"	30"	22"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K
	30"	24"	19"	14"	40"	30"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K
MIXED OAK	18"	18"	19"	14"	28"	20"	21K-30K	24K-30K	21K-30K	24K-30K	24K-28K	24K-28K
	24"	24"	19"	14"	30"	22"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K
	30"	24"	19"	14"	40"	30"	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K	28K-39K

Logs & Burner Systems sold separately

Tri-Flame Series



WESTERN TIMBER Logs with
TRI-FLAME Burner System

STANDARD FEATURES

- ◆ Tall dancing yellow flames and ember bed for wood fire realism
- ◆ Heavy-duty grate for enhanced rugged appeal
- ◆ Choose from concrete or ceramic fiber logs
- ◆ Millivolt control model is remote ready for optional remote and wall controls
- ◆ Variable control model includes ProFlame remote control (Manual & T-Stat modes, On-Off & 5 flame heights)
- ◆ Electronic control model includes EcoFlow Touchscreen remote control (Manual & T-Stat modes, On-Off & 3 flame heights)

SOUTHERN COMFORT Logs

Concrete Logs



"99% Heat Efficiency"

The Magni-Flame Series boasts a triple burner to achieve the look of a real wood fire! The burner is cantilevered to produce tall flames that will not be dwarfed by its massive 19" high logs, the tallest in the industry. Magni-Flame models feature two burners of bright yellow flames, plus a lower burner that creates a glowing ember bed. All models are heater rated with 99% heat efficiency and include a wood-burning grate appearance.



ProFlame Remote
(Included with Variable Control Model)



EcoFlow Remote
(Included with Electronic Control Model)

SHADY HOLLOW Logs

Concrete Logs



The look of a real wood fire.

LOGS	SIZE	BURNER SIZE	MINIMUM FIREBOX DIMENSIONS				CONTROLS & BTU _s					
			HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH	MAGNI-FLAME SERIES BURNER SYSTEMS					
							MILLIVOLT		VARIABLE		ELECTRONIC	
							NG	LP	NG	LP	NG	LP
SOUTHERN COMFORT	24"	24"	28"	15-1/2"	32-1/4"	22-3/4"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
	30"	24"	28"	15-1/2"	39"	26-3/4"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
	36"	30"	28"	15-1/2"	47"	33"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
SHADY HOLLOW	24"	24"	28"	15-1/2"	32-1/4"	22-3/4"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
	30"	24"	28"	15-1/2"	39"	26-3/4"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K
	36"	30"	28"	15-1/2"	47"	33"	29K-40K	29K-40K	28K-38K	31K-39K	28K-38K	31K-39K

Logs & Burner Systems sold separately

Magni-Flame Outdoor Series



SOUTHERN COMFORT Logs with
MAGNI-FLAME Burner System

STANDARD FEATURES

- ◆ Available in a wide range of sizes from 24" to 30" to an impressive 36"
- ◆ Heavy-duty stainless steel chassis and grate for enhanced durability
- ◆ Highly detailed concrete logs with the wood grain texture and color of real wood logs
- ◆ May be used indoors in a vented application with required damper clamp installed
- ◆ Optional MFEB volcanic stone flame bed available (For vented applications only)
- ◆ Millivolt control model is remote ready for optional remote and wall controls
- ◆ Electronic control model includes RCAF3 remote control (On-Off control, Hi-Low flame heights)

SOUTHERN COMFORT Logs

Concrete Logs



Massive 19" high logs

The Magni-Flame Outdoor Series boasts a triple burner to achieve the look of a real wood fire! The burner is cantilevered to produce tall flames that will not be dwarfed by its massive 19" high logs, the tallest in the industry. Outdoor models feature two burners of bright yellow flames, a stainless steel chassis and grate, and an optional lava rock flame bed at its base (for vented applications only).



RCAF3 Remote
(Included with
Electronic Control
Model)



MFEB Volcanic stone Ember Bed
(Optional)

- Enhanced flame & glow
- For vented applications only

SHADY HOLLOW Logs

Concrete Logs



*See burn videos & more
at astria.us.com.*

LOGS	SIZE	BURNER SIZE	MINIMUM FIREBOX DIMENSIONS				CONTROLS & BTUs					
			HEIGHT	DEPTH	FRONT WIDTH	REAR WIDTH	MAGNI-FLAME SERIES OUTDOOR BURNER SYSTEMS					
							MILLIVOLT		VARIABLE		ELECTRONIC	
							NG	LP	—	—	NG	LP
SOUTHERN COMFORT	24"	24"	28"	15-1/2"	32-1/4"	22-3/4"	29K-40K	29K-40K	—	—	29K-40K	29K-40K
	30"	24"	28"	15-1/2"	39"	26-3/4"	29K-40K	29K-40K	—	—	29K-40K	29K-40K
	36"	30"	28"	15-1/2"	47"	33"	29K-40K	29K-40K	—	—	29K-40K	29K-40K
SHADY HOLLOW	24"	24"	28"	15-1/2"	32-1/4"	22-3/4"	29K-40K	29K-40K	—	—	29K-40K	29K-40K
	30"	24"	28"	15-1/2"	39"	26-3/4"	29K-40K	29K-40K	—	—	29K-40K	29K-40K
	36"	30"	28"	15-1/2"	47"	33"	29K-40K	29K-40K	—	—	29K-40K	29K-40K

Logs & Burner Systems sold separately



astria
FIREPLACES®